



City of
Edwardsville
Third Oldest City in Illinois

**CITY COUNCIL PUBLIC SAFETY COMMITTEE
118 HILLSBORO AVENUE
EDWARDSVILLE, IL 62025**

Committee Members

Will Krause, Chair

Janet Stack

Chris Farrar

**PUBLIC SAFETY COMMITTEE AGENDA
THURSDAY, MARCH 11, 2021
4:00 P.M.**

Call to Order

Roll (Quorum)

NOTES:

- Members of the public may submit comments to this meeting by calling 618-307-1715 and leaving a message or by emailing publiccomment@cityofedwardsville.com. Comments will be read at the meeting.
- Guest may log onto the Zoom webinar using the directions below.
- Zoom webinar log-in information for the panelists will be sent in a separate email.

Public Comment: None

Approval of Minutes:

- Approval of Public Safety Committee minutes held Thursday, February 11, 2021.

Police Department:

Informational Items:

- Lateral Hiring Process
- Community Safety Meeting Report
- License Plate Reader Exploration

Fire Department:

Action Item:

- Approval for a Sole Source Resolution Authorizing the Remounting of an Ambulance Patient Treatment Compartment by American Response Vehicles in an Amount Not to Exceed \$187,000.00

Informational Item:

- WeatherWarn Control Panel

Old Business: None

If prospective attendees require an interpreter or other access accommodation, please contact the Edwardsville City Clerk's office at 618-692-7500 no later than 48 hours prior to the commencement of the meeting to arrange the accommodations.



City of
Edwardsville
Third Oldest City in Illinois

**PUBLIC SAFETY COMMITTEE AGENDA
THURSDAY, MARCH 11, 2021**

New Business: None

Next Meeting Date: Thursday, March 25, 2021 at 4:00 p.m. held at City Hall in person and via Zoom, located at 118 Hillsboro Avenue, Edwardsville, IL 62025

Hi there,

You are invited to a Zoom webinar.

When: Mar 11, 2021 04:00 PM Central Time (US and Canada)

Topic: Public Safety Committee Meeting

GUEST ZOOM LINK

Please click the link below to join the webinar:

<https://zoom.us/j/94536100699?pwd=akNGYUdHZ3ZYSWxTd1dSUDAzMUV4UT09>

Passcode: 742258

Or iPhone one-tap:

US: +13126266799,,94536100699#,,,,*742258# or +16465588656,,94536100699#,,,,*742258#

Or Telephone:

Dial (for higher quality, dial a number based on your current location):

US: +1 312 626 6799 or +1 646 558 8656 or +1 301 715 8592 or +1 669 900 9128 or +1 253 215 8782 or
+1 346 248 7799

Webinar ID: 945 3610 0699

Passcode: 742258

International numbers available: <https://zoom.us/j/94536100699?pwd=akNGYUdHZ3ZYSWxTd1dSUDAzMUV4UT09>

If prospective attendees require an interpreter or other access accommodation, please contact the Edwardsville City Clerk's office at 618-692-7500 no later than 48 hours prior to the commencement of the meeting to arrange the accommodations.

Public Safety Committee

Meeting Minutes

February 11, 2021

Members Present: Alderman Will Krause
Alderwoman Janet Stack
Alderman Chris Farrar

Other Present: James Whiteford, Fire Chief
Jay Keeven, Director of Police
Kevin Head, City Administrator
Eric Williams, Director of Public Works
Ryan Zwijack, City Engineer
Jeanne Wojcieszak, Director of Finance
Walter Williams, Economic / Community Development Director
Anna Roseman, Fire Department
John Cunningham, ECTV Deputy Director
Larry Miller, ZOOM Guest

The Edwardsville Public Safety Committee meeting was called to order by Chairman Will Krause at 4:00 p.m. in the Governor Edwards Conference Room, 118 Hillsboro Avenue, with a quorum present: Chairman Will Krause, Alderwoman Janet Stack and Alderman Chris Farrar. The meeting was held in person and via ZOOM.

Public Comment: None

Approval of Minutes:

- Motion by Alderman Krause, second by Alderwoman Stack to approve minutes from the Public Safety Committee meeting held Thursday, January 28, 2021. Motion carried with Krause, Stack and Farrar voting aye.

Police Department:

Informational Item:

- *HB 3653 Update*
Criminal Justice Reform Bill (HB 3653) has some problematic language within the bill that is being addressed. Once Governor Pritzker signs the bill into law, hopefully some trailer bills can clean up the language.
 1. Use of Force - an officer is not allowed to use force to make an arrest if he/she reasonably believes the person can be apprehended at a later date.
 2. Bail Bond - HB3653 is indicating that you can no longer require a cash bail for Class B or C misdemeanors, in particular.
 3. Body Cameras – Most police departments want body cameras but it is the expense of the redaction software and the labor intensive redaction that needs to take place.
 4. Telephone Requirements – HB 3653 states a person is allowed three (3) phone calls within three (3) hours of being taken into custody.

Fire Department:

Discussion Item:

- *Ambulance Repair versus Remount*

The Edwardsville Fire Department (EFD) has a 2003 ambulance that is scheduled to be replaced in the fiscal year 2021/2022. Unfortunately there are issues with the 2012 International model ambulance that is not scheduled to be replaced until fiscal year 2026/2027. This ambulance has been an on-going issue for the EFD since receiving it. EFD has put a significant amount of money for repairs recently. Shortly after these repairs, it started having engine problems and was told that the engine is basically shot. The options are to replace the engine, at an estimated cost of \$36,000.00, which is likely to have the same known problems, or remount the ambulance box, at an estimated cost of \$186,000.00. There is a significant difference in cost based on verbal estimates.

When replacing the engine, it can only be replaced with the same type/model engine as it has now. The way this vehicle is manufactured, the engine, transmission and chassis work together as a unit and are not interchangeable with other engines.

When remounting the ambulance box, they would go through the box top to bottom, clean up/repair/replace anything that is showing wear and tear and put it on a newer chassis. It would basically be a brand new ambulance when returned to EFD.

- *COVID-19 Vaccinations*

A new Centers for Disease Control and Prevention (CDC) guideline came out today stating that if a person has received the COVID-19 vaccination, they do not need to quarantine if they have an exposure.

Old Business: None

New Business:

Discussion Item:

- *Post Office Handicap Parking Spaces*

The Edwardsville Post Office has a new Postmaster. A complaint came from a constituent regarding the Postmaster taking the closest handicap space to the door and renaming it as his personal parking space. The constituent reached out to the Postmaster, Alderman Krause and Illinois Senator Duckworth's office. Materials were hand delivered to the Postmaster indicating the rules and regulations regarding handicap parking.

The next regular scheduled meeting of the Public Safety Committee is Thursday, February 25, 2021, at 4:00 p.m. at City Hall in person and via Zoom.

Motion to adjourn by Alderwoman Stack, second by Alderman Farrar. With no further business at hand the meeting was adjourned at 4:47 p.m. Motion carried with Krause, Stack and Farrar voting aye.

Will Krause, Chair

Minutes prepared by: Anna Roseman, Fire Department

Approved Signature: /s/ Will Krause, by staff liaison

Approved Date: _____



City of
Edwardsville
Third Oldest City in Illinois

DATE: March 9, 2021

**ACTION ITEM TITLE: SOLE SOURCE
RESOLUTION AUTHORIZING THE
RECOUNTING OF AN AMBULANCE PATIENT
TREATMENT COMPARTMENT BY AMERICAN
RESPONSE VEHICLES IN AN AMOUNT NOT
TO EXCEED \$187,000.00**

ORIGIN: Fire Department

SUMMARY:

This is a resolution for the purchase of and remounting of Ambulance 1341's patient treatment compartment on a 2021 Ford F-550 chassis with a 6.7L Scorpion diesel engine, by American Response Vehicles, 521 Hillsdale, Columbia, MO 65201, for a total cost not to exceed \$187,000.00

RATIONALE:

Ambulance 1341 is a 2012 International TerraStar. The engine in this unit is a Maxxforce diesel engine that has become damaged beyond repair. Design flaws in these engines are known throughout the industry and production of the engine has been stopped. Industry professionals do not recommend use of this engine. However, the patient treatment compartment is in good condition and is an excellent candidate for remounting to a new chassis. At \$187,000 remounting the patient compartment represents a cost savings of over \$100,000 versus purchasing a completely new ambulance. The Ford F-550 chassis with 6.7L Scorpion diesel engine is a proven reliable chassis and engine combination for ambulance operations. American Response Vehicles authorized remount facility for the patient compartment has superior knowledge of the product, the ability to provide factory updates to outmoded components, and the ability to provide a factory new warranty. The Fire Department has evaluated the proposed cost and determined it to be fair and reasonable.

COMPLIANCE WITH COMPREHENSIVE PLAN OR OTHER PLAN:

SUGGESTED COUNCIL ACTION:

Resolution No. _____

**SOLE SOURCE RESOLUTION AUTHORIZING THE REMOUNTING OF AN
AMBULANCE PATIENT TREATMENT COMPARTMENT BY AMERICAN
RESPONSE VEHICLES IN AN AMOUNT NOT TO EXCEED \$187,000.00**

WHEREAS, the City of Edwardsville operates a full service fire department which includes ambulance service; and

WHEREAS, ambulances must be maintained in reliable working condition to provide emergency services; and

WHEREAS, the engine of Ambulance 1341, a 2012 International TerraStar, is damaged and unreparable; and

WHEREAS, the patient treatment compartment of the ambulance is a custom made, all aluminum box in good condition and may be remounted; and

WHEREAS, remounting of the patient treatment compartment is best accomplished by the original manufacturer of the compartment, due to their familiarity with the product and ability to provide factory updates to outmoded components and factory warranty; and

WHEREAS, the Ford F-550 chassis with the 6.7L Scorpion diesel engine has proven to be a reliable ambulance platform and is the preferred chassis for this remount; and

WHEREAS, American Response Vehicles has provided a proposal to furnish a Ford F-550 chassis with the 6.7L Scorpion diesel engine and remount the patient treatment compartment at a cost not to exceed \$187,000.00, which the Fire Department has evaluated and determined is a fair and reasonable cost; and

WHEREAS, the Codified Ordinances of the City of Edwardsville, Section 2-591, Bid Purchasing Regulation, (d) Exemption from the Bidding Process provides for the award of single source contracts for services without competitive bidding if such exemption is authorized by two-thirds of all the Aldermen then holding office.

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE
CITY OF EDWARDSVILLE that:**

The City of Edwardsville City Council has reviewed and hereby approves by two-thirds majority vote the purchase of and remounting of Ambulance 1341's patient treatment compartment on a 2021 Ford F-550 chassis with a 6.7L Scorpion diesel engine, by American Response Vehicles, 521 Hillsdale, Columbia, MO 65201, for a total cost not to exceed \$187,000.00.

**PASSED BY THE CITY COUNCIL OF THE CITY OF EDWARDSVILLE, MADISON
COUNTY, ILLINOIS, AND APPROVED BY THE MAYOR OF SAID CITY THIS
_____ DAY OF _____, 2021.**

Hal Patton, Mayor

AYES: _____

NAYS: _____

ABSENT: _____

ABSTENTION: _____

ATTEST: _____

Emily Bates, City Clerk, City of Edwardsville, Madison County, Illinois this _____ day
of _____, 2021.

AMERICAN RESPONSE VEHICLES
 521 Hillsdale, Columbia, MO. 65201
 (573) 443-8881 • (888) 448-8881 • Fax: (573) 815-0051

SOLD & TITLED TO: _____ DATE _____
 PURCHASER'S NAME _____
 STREET ADDRESS _____
 CITY STATE ZIP _____
 CONTACT BUSINESS PHONE _____

YEAR: _____ **CHASSIS:** _____ **BODY:** _____
TYPE: _____ **COLOR:** _____ **TRIM:** _____ **STOCK #:** _____
VIN: _____ **FTID #:** _____
TO BE DELIVERED WITHIN _____ * SALES REPRESENTATIVE: _____ **FIN:** _____

* DAYS AFTER RECEIPT OF SIGNED SHOP ORDER CONFIRMATION

CASH PRICE OF UNIT		PRICE
		\$
USED VEHICLE TRADE-IN AND/OR OTHER CREDITS	CASH SALE PRICE OF DESCRIBED MOTOR VEHICLE	\$
MAKE OF TRADE-IN:	DELIVERY	\$
YEAR: MODEL: BODY:	1. TOTAL PRICE OF UNIT	\$
VIN:	2. TOTAL DOWN PAYMENT: CONSISTING OF _____ IN CASH AND/OR \$ _____ NET TRADE-IN ALLOWANCE ON TRADE-IN; SEE STATEMENT IN LEFT HAND COLUMN FOR DETAILS.	
USED TRADE-IN ALLOWANCE \$		
DEPOSIT OR CREDIT BALANCE \$		
DOWN PAYMENT (TRANSFER TO RIGHT) \$		
3. UNPAID CASH BALANCE DUE ON DELIVERY (DIFFERENCE BETWEEN ITEMS 1 & 2)		\$


ALL WARRANTIES, IF ANY, BY A MANUFACTURER OR SUPPLIER OTHER THAN AMERICAN RESPONSE VEHICLES, INC. ARE THEIRS, NOT AMERICAN RESPONSE VEHICLES, INC. AND ONLY SUCH MANUFACTURER OR OTHER SUPPLIER SHALL BE LIABLE FOR PERFORMANCE UNDER SUCH WARRANTIES, UNLESS AMERICAN RESPONSE VEHICLES, INC. FURNISHES BUYER WITH A SEPARATE WRITTEN WARRANTY OR SERVICE CONTRACT MADE BY AMERICAN RESPONSE VEHICLES, INC. ON ITS OWN BEHALF, AMERICAN RESPONSE VEHICLES, INC. HEREBY DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTIES OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE: (A) ON ALL GOODS AND SERVICES SOLD BY AMERICAN RESPONSE VEHICLES, INC., AND (B) ON ALL USED VEHICLES WHICH ARE HEREBY SOLD "AS IS - NOT EXPRESSLY WARRANTED OR GUARANTEED."

THIS ORDER IS A BINDING CONTRACT AFTER ACCEPTANCE BELOW BY AMERICAN RESPONSE VEHICLES' AUTHORIZED REPRESENTATIVE.

THE FRONT AND BACK OF THIS ORDER COMPRISE THE ENTIRE AGREEMENT AFFECTING THIS PURCHASE AND NO OTHER AGREEMENT OR UNDERSTANDING OF ANY NATURE CONCERNING SAME HAS BEEN MADE OR ENTERED INTO, OR WILL IT BE RECOGNIZED. I HEREBY CERTIFY THAT NO CREDIT HAS BEEN EXTENDED TO ME FOR THE PURCHASE OF THIS MOTOR VEHICLE EXCEPT AS APPEARS IN WRITING ON THE FACE OF THIS AGREEMENT. I HAVE READ THE MATTER PRINTED ON THE BACK HEREOF AND AGREE TO IT AS A PART OF THIS ORDER THE SAME AS IF IT WERE PRINTED ABOVE MY SIGNATURE. I CERTIFY THAT I AM OF LEGAL AGE, AND HEREBY ACKNOWLEDGE RECEIPT OF A COPY OF THIS ORDER.

PURCHASER'S SIGNATURE

DATE

ACCEPTED BY  _____
AMERICAN RESPONSE VEHICLES, INC. AUTHORIZED REPRESENTATIVE

ADDITIONAL TERMS AND CONDITIONS

1. All vehicles will be freighted FOB Columbia, MO or factory, and delivered C.O.D. Payment can either be made by cashier's check or wire transfer only. Government entities (backed by Government funds) can make payment by Government check. Delivery stated on the front of Sales Agreement is based on the number of Calendar days after receipt of American Response Vehicles, Inc. signed shop order confirmation. Please note items beyond the control of American Response Vehicles, Inc. and/or change orders may affect delivery.
2. Any warranty claims will be handled exclusive of total payment of vehicle. Please see warranty section of your Owner's manual for all information pertaining to warranty.
3. If the used motor vehicle which has been traded in as part of the consideration for the motor vehicle ordered hereunder is not to be delivered to American Response Vehicles, Inc., until delivery to Purchaser of such motor vehicle, the used motor vehicle shall be reappraised at that time and such reappraise value shall determine the allowance made for such used motor vehicle. If such reappraised value is lower than the original allowance shown on the front of this Order, Purchaser may, if dissatisfied therewith cancel this Order, provided, however, that such right to cancel is exercised prior to the delivery of the motor vehicle ordered hereunder to the Purchaser and surrender of the used motor vehicle to American Response Vehicles, Inc. Any trade-in vehicle shall have no deferred maintenance.
4. Purchaser agrees to deliver to American Response Vehicles, Inc. satisfactory evidence of title to any used motor vehicle traded in as a part of the consideration for the motor vehicle ordered hereunder at the time of delivery of such used motor vehicle to American Response Vehicles, Inc. Purchaser warrants any such used motor vehicle to be his property free and clear of all liens and encumbrances except as otherwise noted herein.
5. Manufacturer has reserved the right to change the design of any new motor vehicle, as is, accessories or parts thereof at any time without notice and without obligation to make the same or any similar change upon any motor vehicle, chassis, accessories or parts thereof previously purchased by or shipped to American Response Vehicles, Inc. or being manufactured or sold in accordance with American Response Vehicles, Inc. orders. Correspondingly, in the event of any such change by the Manufacturer, American Response Vehicles, Inc. shall have no obligation to Purchaser to make the same or any similar change in any motor vehicle, chassis, accessories or parts thereof covered by this Order either before or subsequent to delivery thereof to Purchaser.
6. American Response Vehicles, Inc. shall not be liable for failure to deliver or delay in delivering the motor vehicle covered by this Order where such failure or delay is due, in whole or part, to any cause beyond the control or without the fault or negligence of American Response Vehicles, Inc.
7. The price for the motor vehicle specified on the face of this Order includes reimbursement for any Fleet Incentive Discounts, and Federal Excise taxes, if applicable, but does not include sales taxes, use taxes or occupational taxes based on sale volume, (Federal, State or Local) unless expressly so states. Purchaser assumes and agrees to pay, unless prohibited by law, any such sales, use or occupational taxes imposed on or applicable to the transaction covered by this Order, regardless of which party may have primary tax liability therefor.
8. **USED VEHICLE WHETHER OR NOT SUBJECT TO MANUFACTURER'S WARRANTY:** UNLESS A SEPARATE WRITTEN INSTRUMENT SHOWING THE TERMS OF ANY AMERICAN RESPONSE VEHICLES, INC. WARRANTY OR SERVICE CONTRACT IS FURNISHED BY AMERICAN RESPONSE VEHICLES, INC. TO BUYER, THIS VEHICLE IS SOLD "AS IS - NOT EXPRESSLY WARRANTED OR GUARANTEED", **AND** THE SELLER HEREBY DISCLAIMS TO THE EXTENT PERMITTED BY LAW, ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.
9. PURCHASER SHALL NOT BE ENTITLED TO RECOVER FROM AMERICAN RESPONSE VEHICLES, INC. ANY CONSEQUENTIAL DAMAGES, DAMAGE TO PROPERTY, DAMAGES FOR LOSS OF USE, LOSS OF TIME, LOSS OF PROFITS, OR INCOME, OR ANY OTHER INCIDENTAL DAMAGES.
10. The Purchaser, before or at the time of delivery of the motor vehicle covered by this Order will execute such forms of agreement or documents as may be required by the terms and conditions of payment indicated on the front of this Order.
11. Failure or refusal to accept delivery: should the Purchaser fail or refuse to accept delivery, unless the vehicle fails to meet requirements found in the shop order confirmation document, the Purchaser acknowledges they are liable to American Response Vehicles, Inc. for expenses incurred and reasonable profit on the ordered vehicle.
12. All costs and expenses incurred by American Response Vehicles, Inc. for work accepted by the Purchaser prior to American Response Vehicles, Inc. receipt of the notice of termination, plus a reasonable profit for said work.

Shop Order

ARV
CRAIG SMITH

EDWARDSVILLE FD
333 MAIN ST
EDWARDSVILLE, IL 62025

Exp. Date: 03/12/2021
 Quote No: 11240-0001
 TYPERE: REMTYP Remount, Type
 GENERAL: REMGEN *****BID STANDARDS*****
 TYPERE: REM01 Remount, Base, Conversion
 BASE: REMPR Remount, Base

02/12/2021 Job/Order No: ARV-EDWARDSVILLE FD Page 1

PART NO	S	DESCRIPTION	QTY
== *****BID STANDARDS***** - 15.015 12/09/20 ==			1
00-10-0015		Vehicle Quantity (Vehicles)	1
00-91-0001	S	ORIGINAL MAUFACTURER AND ORIGINAL BODY NUMBER: HORTON 15059	1
00-91-0003	S	CHASSIS VIN NUMBER: 1HTJSSKK7CJ610519	1
00-91-0015		ACCOUNT MANAGER: Tammy Roten	1
00-91-000Y	S	1st Original Manufacturing Completion Date : 2012	1
00-91-0027	S	REFERENCE UNIT #: 15059	1
00-91-0028	S	RE-WRITE DATE : 2/12/21	1
00-91-0040		SEAT BELT POSITIONS MODS	1
00-91-0042		-- CAB SEAT BELT MOD:	1
00-91-0044		-- Total: 2 Positions	1
00-91-0050		-- REAR SEAT BELT MOD:	1
00-91-0053		-- Total: FILL IN NUMBER OF POSITIONS	1
00-99-9000		Revision Level: 0 - Zero - ORIGINAL VERSION	1
00-99-9030		Change Order Level: 0 - Zero - ORIGINAL VERSION	1
== Remount, Base, Conversion - 15.015 12/09/20 ==			1
GENERAL REMOUNT QUESTIONS			1
01-AQ-1F49		-- 2021 Ford, F-550 4 x 4 DRW Reg Cab, 193.3" WB, XLT Turbo Diesel	1
01-1F-0086		-- Engine: 6.7L Scorpion, Pwr Stroke V-8 Turbo Diesel - F-series 2020+	1
01-1F-0092		-- Chassis Front engine hood Insulation Not included by OEM Ford on all XLT	1
01-1F-0101		-- 98R- Operator Command Regeneration	1
01-1F-02CM		-- Cab Interior Color: Medium Earth Gray F-series	1
01-1F-02T5		-- F-Series 193" wheelbase reg cab LWB	1
01-1F-04PU		-- GVWR: 18,000 pounds, FAWR: 7,000, RAWR: 13,660 (4x4)	1
01-1F-0502		-- Alternator: Dual Extra heavy duty Alternator OEM Total 397Amp	1
01-1F-0507		-- Battery; OEM Dual 750 CCA, 78 Amp Hours	1
01-FL-TI06		-- Tire, SPARE: Matching, Random Make	1
01-FM-TI01		-- Location: Shipped Loose	1
01-TU-0112		-- Jack and Tire Tools: Install behind Passenger's seat	1
01-FM-EWH3	S	-- Wheel Finish: Painted to match body color. (7) Wheels ILOS	1
PAINT: All wheels shall be painted on BOTH sides, INCLUDING the spare.			
PAINT: BLACK			
01-FM-EWJ0		-- Hubs are coated or painted, no covers installed no extra parts	1
01-FM-DL01		-- Cab Door Locks: Power	1
01-FM-DTRL		-- Daytime Running Lights: Ford OEM	1
01-FM-DTRQ		-- Ford F series High center mount brake light ordered with chassis	1
01-FM-TIR3		-- Tires: F-4/550, All season, Random Mk 225/70 R19.5, LR F	1

PART NO	S	DESCRIPTION	QTY
01-OE-47LF		-- 47L - Ambulance Prep Package - F-Series	1
01-OE-47A5		-- Alternators Dual (OEM) Motorcraft Ford 67B 2017+ Ford F super duty	1
01-OE-47C0		-- Throttle Control System	1
01-RR-05B6		-- Radio, F-series: OEM AM/FM/Satellite w/ 5 cab speakers 8" Display 2020 +	1
01-SY-0005		-- Ford SYNC 3 Voice Activated, in vehicle connectivity 913 2020 XLT std- all	1
03-EA-47PR		-- Side Mirrors, OEM (F-Series), Pwr Glass, Heated, manual Telescopic	1
04-SU-1101		-- Ford OEM Front Suspension Coil Spring Std F-450/550	1
04-SU-1729	XS	-- Rear Suspension: F-550 Liquid Spring, 2017+	1
		NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed	
		Part; SUSP-DS147FS3 Rated for 13,660 GAWR	
01-TT-0208		-- ""DETAIL"" Liquid Rear Suspension Decal Install	1
		Prior to delivery, detail department is to install a Black Decal on the dash:	
04-SU-0602	S	-- Kneeling Feature: Enable Switch Located on Rear Entry Door	1
04-SU-0610		-- Kneeling Feature: Activated by TRAILING rear access door	1
04-SU-0651		-- Exhaust system termination point: OEM Location, Rt Rear	1
04-SU-2022		-- Liquid spring controller shipped loose with completed unit	1
		Dealer to install with customer on arrival	
04-SU-03F6		-- Rear Stabilize (Anti-Sway) Bar: OEM, Ford F-450/550	1
12-PT-1500		-- OEM Certified Idle System Stickers: On Front Cab Fenders	1
12-ZZ-ZZZZ		--	1
50-00-0011		-- Modular Body Mfg: Horton	1
50-10-0130		-- Previous Chassis: Navistar 4300/4400 - Cab Chassis	1
50-20-0010		-- Previous Cab to Body: Window Only - Talk thru	1
50-60-0010		-- Previous Fuel Type: Diesel	1
50-61-0010		-- Desired Fuel Type: Diesel	1
50-SF-2KAR		-- Vehicle Built to Mass Specs	1
50-70-000N		-- No	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
51-BC-0030		Unit Bio-Cleaned : Unit Cleaned at REV Solutions	1
		BODY	1
52-00-0003		-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1
52-20-0093		-- Modular Body: 172 x 95 x 72HR	1
52-40-0012		-- Body Compartment: M1 (Left Front) - On Body Single Door	1
52-40-0130		-- Single Door	1
52-B0-0010		-- Cmpt Door Checks: Leave Existing	1
52-B0-0050		-- Cmpt Door Inner Panels : Leave Existing	1
52-B0-0140		-- Module Door Horton Rubber Gasket: Replace with Overall Paint	1
		GASK-04340008	
		Install Horton Door Gasket	
52-BT-C910		-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M1	1
		Replace handles, rods, rotary latches and nader pins	
52-40-0016		-- Body Compartment: M1.5 (Left Front Upper) - None	1
52-40-0023		-- Body Compartment: M2 (Left Middle) - On Body Double Doors	1
52-40-0140		-- Double Doors	1
52-B0-0010		-- Cmpt Door Checks: Leave Existing	1
52-B0-0050		-- Cmpt Door Inner Panels : Leave Existing	1
52-B0-0140		-- Module Door Horton Rubber Gasket: Replace with Overall Paint	1
		GASK-04340008	

PART NO	S	DESCRIPTION	QTY
		Install Horton Door Gasket	
52-BT-C995		/-- Trimark 030-1875 Free Floating Chrome Handle: for Double Doors Replace handles, rods, rotary latches and nader pins	1
52-40-0028		/-- Body Compartment: M2.5 (Left Middle Upper or WW) - On Body	1
52-40-0130		/-- Single Door	1
52-B0-0010		/-- Compt Door Checks: Leave Existing	1
52-B0-0050		/-- Compt Door Inner Panels : Leave Existing	1
52-B0-0140		/-- Module Door Horton Rubber Gasket: Replace with Overall Paint GASK-04340008 Install Horton Door Gasket	1
52-BT-C922		/-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M2.5 Replace handles, rods, rotary latches and nader pins	1
52-40-0032		/-- Body Compartment: M3 (Left Rear) - On Body Single Door	1
52-40-0130		/-- Single Door	1
52-B0-0010		/-- Compt Door Checks: Leave Existing	1
52-B0-0050		/-- Compt Door Inner Panels : Leave Existing	1
52-B0-0140		/-- Module Door Horton Rubber Gasket: Replace with Overall Paint GASK-04340008 Install Horton Door Gasket	1
52-BT-C930		/-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M3 Replace handles, rods, rotary latches and nader pins	1
52-40-0040		/-- Body Compartment: M4 (Rear Left) - None	1
52-40-0046		/-- Body Compartment: M4a (Rear Right) - None	1
52-40-0052		/-- Body Compartment: M5 (Right Rear) - On Body Single Door	1
52-40-0130		/-- Single Door	1
52-B0-0010		/-- Compt Door Checks: Leave Existing	1
52-B0-0050		/-- Compt Door Inner Panels : Leave Existing	1
52-B0-0140		/-- Module Door Horton Rubber Gasket: Replace with Overall Paint GASK-04340008 Install Horton Door Gasket	1
52-BT-C950		/-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M5 Replace handles, rods, rotary latches and nader pins	1
52-40-0053		/-- Body Compartment: M5.5 (Right Rear WW) - None	1
52-40-0060		/-- Body Compartment: M6 (Right Rear FWD) - None	1
52-40-0072		/-- Body Compartment: M7 (Right Front ALS) - On Body	1
52-40-0130		/-- Single Door	1
52-B0-0010		/-- Compt Door Checks: Leave Existing	1
52-B0-0050		/-- Compt Door Inner Panels : Leave Existing	1
52-B0-0140		/-- Module Door Horton Rubber Gasket: Replace with Overall Paint GASK-04340008 Install Horton Door Gasket	1
52-BT-C970		/-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M7 Replace handles, rods, rotary latches and nader pins	1
52-40-0082	S	/-- Body Compartment: M8 (Right Front Lower) - On Body DELETE BATTERY IN M8 CLEAN UP	1

PART NO	S	DESCRIPTION	QTY
52-40-0130		-- Single Door	1
52-B0-0010		-- Compt Door Checks: Leave Existing	1
52-B0-0050		-- Compt Door Inner Panels : Leave Existing	1
52-B0-0140		-- Module Door Horton Rubber Gasket: Replace with Overall Paint	1
		GASK-04340008	
		Install Horton Door Gasket	
52-BT-C980		-- Trimark 030-1875 Free Floating Chrome Handle: for Cmpt M8	1
		Replace handles, rods, rotary latches and nader pins	
52-40-0090		-- Body Compartment: M9 (Right Front FWD B/B) - None	1
52-40-0112		-- Body Entry Curbside: On Body	1
52-B0-0140		-- Module Door Horton Rubber Gasket: Replace with Overall Paint	1
		GASK-04340008	
		Install Horton Door Gasket	
52-B0-09B0		-- C/S Door Check : Leave Existing	1
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1
52-BT-D003		-- Install New Tri-mark 030-1875, free float for C/S Entry	1
52-BT-C863		-- Interior Release: None	1
52-40-0122		-- Body Entry Rear: On Body - Double Doors	1
52-B0-0140		-- Module Door Horton Rubber Gasket: Replace with Overall Paint	1
		GASK-04340008	
		Install Horton Door Gasket	
52-B2-0020		-- Rear Door Hold Opens: Replace with New Grabbers	1
52-BT-D004		-- Trimark 030-1875 Free Floating Chrome Handle: for Rear Entry Doors (Pair)	1
		Replace handles, rods, rotary latches and nader pins	
52-BT-C863		-- Interior Release: None	1
52-B4-0010		-- Curbside Stepwell: Leave Existing	1
52-BT-D000		-- Install new Handles Trimark 1875 Free Float Chrome	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
GENERAL CONVERSION WELDING & BODY REPAIR :			1
53-00-0010		-- Modify Doors for 1875 Handles	1
53-00-0015	S	-- Install structure in curb side wall and CPR for 4 point seat belts	1
53-00-0022	S	-- Reskin Front of Box	1
		RESKIN FRONT OF BOX MODIFY FOR TALK THRU	
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
WELDING - Station No 1			1
54-BP-F364		-- BODY PROTECTION AND TRIM PACKAGE: Cutaway Chassis	1
54-AS-0610		-- Fuel Fill: CPI C1045, Open Housing, Polished Bezel	1
		Part No: HOUS-1045	
54-AS-0620		-- Fuel over Fill protection plate: None	1
04-AS-0803	S	-- Urea Fill : Between Cab and module	1
54-AS-1801		-- Cmpt Stainless Steel - Sill protection: For the following compt's	1
54-AS-1812		-- Stainless Sill: M1 (Left Front), Single Bend	1
54-AS-1822		-- Stainless Sill: M2 (Left Middle)< Single Bend	1
54-AS-1832		-- Stainless Sill: M3 (Left Rear), Single Bend	1
54-AS-1852		-- Stainless Sill: M5 (Right Rear), Single Bend	1
54-AS-1872		-- Stainless Sill: M7 (Right Front ALS), Single Bend	1

PART NO	S	DESCRIPTION	QTY
54-BW-7A00	S	/-- Bumper, Rear:	1
54-BW-AH01		/-- Bumper, Rear: Step 89"/96" with Type 1 Step Assembly Horton	1
		Install an entire rear step bumper including chassis hangers. The center section of the rear step bumper shall be constructed of aluminum grip strut and be hinged to assist in patient handling.	
54-BW-AHD1		/-- Dock Bumper: (2) Rubber, 2.5x16" Horton	1
ZZ-ZZ-ZZZZ		--	1
54-BW-AF00	S	/-- Fenders, Rear:	1
54-BW-AFH4	S	/-- Fender, Rear: (1) SS Curb, 3" drop, T1 Horton	2
ZZ-ZZ-ZZZZ		--	1
54-BW-DP00	S	/-- Skirt Rails:	1
54-BW-SSH3		/-- Skirt Rails: Front 81"x2.5", Rear 46"x2.5", Stainless Steel Lighted Horton	1
55-EL-2594	S	/-- Horton Strip Light: 10011214 12" LED, Red	5
55-EL-2596	S	/-- Horton Strip Light: 10011215, 12" LED, White	5
55-EL-259P		/-- Horton Strip Lights #3: None/Leave Existing	1
55-EL-259Q		/-- Horton Strip Lights #4: None/Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
54-BW-DP06		/-- Corner Caps: 17.3" High, Alum Diamond Plate, (4)	1
		If there is a body drop, add the appropriate height to Corner Caps.	
ZZ-ZZ-ZZZZ		--	1
54-BW-DP09		/-- Front Stone Guards: Stainless Steel	1
		If there is a body drop, add the appropriate height to Stone Guards.	
ZZ-ZZ-ZZZZ		--	1
54-BW-DP14		/-- Rear Kick Plate: Polished Aluminum Diamond Plate	1
54-AS-0507		/-- Holder, License Plate, CPI LP0002-1-D-UA with LED lights	1
		Delete standard Tag cut out.	
		Comes complete with two lights installed LED.	
		HOLD-21DUA	
04-AS-0520		/-- Location, kickplate centered under rear doors	1
55-EL-44TN		/-- Tag Light: Kinequip LED	1
54-EA-14H2		/-- Running Boards: Star Punched, Type 1 Reg Cab Ford, Horton	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
54-EA-11RB		/-- Mud Flaps Front: Incorporated into Running Boards	1
ZZ-ZZ-ZZZZ		--	1
54-EA-1131		-- Mud Flaps Rear: Rev Solutions	1
54-MH-2500		-- Drive Shaft Loop: None	1
56-EA-01FD		/-- Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel, Ford chassis	1
		Ford Chassis	
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
		EXT LIGHTING / AC / INSULATION - Station No 2	1
55-EL-140F		-- Front Turn Signal: None	1
55-EL-18B1	S	/-- ICC Light Pkg: ICC	1
55-EL-18FR		/-- Front ICC Lts: (5) AMBER Weldon LED No 9186-1500A	1
		Switch w/ Headlights.	
55-EL-18FG		/-- Front ICC Lt Guards: (5) Across Front	1
ZZ-ZZ-ZZZZ		--	1
55-EL-18RE		/-- Rear ICC Lts: (5) RED Weldon LED No 9186-1500R	1
		Switch w/ Headlights	
55-EL-18RG		/-- Rear ICC Lt Guards: (5) Across Rear	1
ZZ-ZZ-ZZZZ		--	1

PART NO	S	DESCRIPTION	QTY
55-EL-18A5		-- ICC Side Marker Lights Pkg: Leave Existing/ None	1
55-EL-19M0		-- Side Marker Lights: Leave Existing Lights Marker light will come on with head lights and flash alternately with turn signal.	1
ZZ-ZZ-ZZZZ		--	1
55-EL-2202		-- Tail Lights: Leave Existing Lights	1
ZZ-ZZ-ZZZZ		--	1
55-EL-2582		 -- "BUM" Lights, (6), Underbody, LED Kinequip #108818C 8" strip lite With Switch in Console. Lights to Work in Park Gear only.	1
55-EL-3906		 -- Lights, Cab Step: 2" Clear, Mt in box front, LED (T0CACCCR) pair With Chrome Flange Activate by Cab Doors. Constant Hot.	1
55-EL-4304		 -- Third (3rd) Brake Light: None On Existing, Do Not Install One	1
55-EL-4570		-- SCENE/FLOOD LIGHTS: Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
		-- Compartment Light: None	1
		HEAT AND AC	1
05-HA-0800		 -- Activ Tek induct 500-12V UV light ozone free System is to be installed in return airt Cabinet. Must be servicable, but not visible to EMT. >> Annual replacement of the UV bulb is required >	1
55-HA-13F9		 -- AC System: (Pro Air) 12v Below Attendant Seat, 937 Vert, Includes Receiver / Drier Kit	1
55-HA-0400		 -- Water Pump: Additional - improve heater performance This pump shall be installed in-line and shall come on with the heat switch position.	1
55-HA-1302	S	 -- A/C Condenser	1
05-HA-13U0		 -- Condenser, 12V: Pro -Air Dual Fan, FRKG 106 Front of Body over Cab COND-P01 35,000 BTU/ 2,800 CFM FITT-800002520 size 28.875 x 19 x 7.75	1
04-HA-1308	S	 -- AC Condenser Pan Mount: Install, COND-SHELF SINGLE w curved upper front SHLF-Pattonvill > Install removable cover on underside of front of module condenser bracket. Vented cover with rows of square punched holes. special front cover with small holes and curved upper front edge. Interior width 33 5/8". Aluminum mounting brackets 3 per truck included. Paint as described in the following option choice. REF: 19OF25005XA	1
12-B0-0004		 -- Painted Part- Painted Special color to match Body	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
		INTERIOR LIGHTING	1
55-IL-0002		-- CEILING PANELS : Leave Existing	1
59-MH-0800		-- IV Hooks : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
59-MH-2ACS		-- Overhead Grab Rail	1
59-MH-2ALE		-- Curb Side Grabrail, Overhead: Leave Existing	1
ZZ-ZZ-ZZZZ		--	1

PART NO	S	DESCRIPTION	QTY
59-MH-2ASS		-- Streetside Grab Rail: None	1
ZZ-ZZ-ZZZZ		--	1
55-IL-0099		-- Dome Lights : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
55-IL-09SK		-- Light, Step Well : Leave Existing Light	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
		INSULATION PACKAGE :	1
55-IN-1STK		-- Insulation: Module Doors Circumferential Reflective w/ Air cell	1
ZZ-ZZ-ZZZZ		--	1
55-IN-1STL		-- Insulation: Additional Cab Floor: None	1
ZZ-ZZ-ZZZZ		--	1
55-IN-5ST0		-- Insulation: Walls/Ceiling, Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
55-PA-LB0A	S	 -- Cab Roof Lightbar	1
		WHELEN LIBERTY 49" CAB ROOF LIGHT BAR	
55-PA-LB0B		-- Rear Light Bar: NONE	1
55-PA-LB3A		 -- Traffic Advisor: Whelen TAL85, (8) 500 Series LED lights, w/ TACTLD1 Head	1
		This is the LED Traffic Advisor Unit.	
		Must be ordered with 25' to 30' Extension Cable.	
05-PA-LBM2		 -- LOCATION: Mount over rear door above load lights	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
55-SY-LTMF		 -- M SERIES LED WARNING LT SYSTEM - F-series LTD	1
05-FS-0712		 -- Flasher: None, All M Series LED's Are Programmable	1
05-FS-10P4		 -- Flash Pattern: None, Internal Light Head Flasher	1
06-SW-PS01		 -- Warning Light SWITCH: center console, Primary / Secondary	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
55-PM-LC10		 -- (2) Grille Lights: Whelen M4 Series, LED	1
55-PM-LP24		 -- LED M4 Red - Pair	1
55-PM-LRD3		 -- Light: Whelen M4, LED, RED LED/CLEAR Lens, Programmable	2
05-PL-LY22		 -- LED Color for Above M4 LED : RED	2
05-PM-LV10		 -- Lens Color: Clear	2
25-PH-LT84		 -- LED Lights: Programmable, Single Light	2
55-PM-LE09		 -- (2) Intersection Lights: Whelen M2 Series, LED	1
55-PM-LN09		 -- Flanges,(2) Chrome : Intersection M2	1
55-PM-LRC6		 -- Light: Whelen M2, LED, RED LED/CLEAR Lens PAIR ilos	2
ZZ-ZZ-ZZZZ		--	1
55-PM-LG70		 -- (2) Outer Front Body Lights: Whelen M9 Series, LED	1
55-PH-LF12		 -- M9 Series Flange Chrome Plated, Std: Pair	1
55-PM-LRK3		 -- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	1
05-PL-LY54		 -- LED Color for Above M9 LED : RED	1
05-PM-LV10		 -- Lens Color: Clear	1
25-PH-LT84		 -- LED Lights: Programmable, Single Light	1
55-PM-LRL2		 -- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable ILOS	1
05-PL-LY58		 -- LED Color for Above M9 LED : BLUE	1
05-PM-LV10		 -- Lens Color: Clear	1
25-PH-LT84		 -- LED Lights: Programmable, Single Light	1
ZZ-ZZ-ZZZZ		--	1
55-PM-LH70		 -- (4) Upper Side Body Lights: Whelen M9 Series, LED	1
55-PH-LF14		 -- M9 Series Flange, Chrome Plated, Std: Two Pair	1
55-PM-LRK3		 -- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	2
05-PL-LY54		 -- LED Color for Above M9 LED : RED	2
05-PM-LV10		 -- Lens Color: Clear	2

PART NO	S	DESCRIPTION	QTY
25-PH-LT84		-- LED Lights: Programmable, Single Light	2
55-PM-LRL2		-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable ILOS	2
05-PL-LY58		-- LED Color for Above M9 LED : BLUE	2
05-PM-LV10		-- Lens Color: Clear	2
25-PH-LT84		-- LED Lights: Programmable, Single Light	2
55-PM-LI50		-- (2) Rear Intersection Lights: Whelen M7 Series, LED	1
55-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	2
55-PM-LR24		-- LED M7 Red - Pair	1
55-PM-LRA3		-- Light, Whelen LED M7 Red LED/Clear Lens - Programmable	2
05-PL-LY04		-- LED Color for Above M7 LED : RED	2
05-PM-LV10		-- Lens Color: Clear	2
25-PH-LT84		-- LED Lights: Programmable, Single Light	2
55-PM-LJ70		-- (2) Outer Rear Body Lights: Whelen M9 Series, LED	1
55-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1
55-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	1
05-PL-LY54		-- LED Color for Above M9 LED : RED	1
05-PM-LV10		-- Lens Color: Clear	1
25-PH-LT84		-- LED Lights: Programmable, Single Light	1
55-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	1
05-PL-LY54		-- LED Color for Above M9 LED : RED	1
05-PM-LV10		-- Lens Color: Clear	1
25-PH-LT84		-- LED Lights: Programmable, Single Light	1
ZZ-ZZ-ZZZZ		--	1
55-PM-LK70		-- (2) Additional Rear Body Lights: Whelen M9 Series, LED	1
05-PH-LT6B		-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1
55-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1
55-PM-LT16		-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable IATS	2
05-PL-LY58		-- LED Color for Above M9 LED : BLUE	2
05-PM-LV10		-- Lens Color: Clear	2
25-PH-LT84		-- LED Lights: Programmable, Single Light	2
ZZ-ZZ-ZZZZ		--	1
55-PM-LL50		-- (1) Center Rear Body Light: Whelen M7 Series, LED	1
55-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	1
55-PM-LR06		-- LED M7 Amber - Each	1
55-PM-LRA7		-- Light, Whelen LED M7 Amber LED/Clear Lens - Programmable	1
05-PL-LY06		-- LED Color for Above M7 LED : AMBER	1
05-PM-LV10		-- Lens Color: Clear	1
25-PH-LT84		-- LED Lights: Programmable, Single Light	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
		ELECTRICAL - Station No 3	1
ZZ-ZZ-ZZZZ		--	1
56-10-0010		-- Body Door Switches: Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
06-EC-0564		-- POWER Door Locks: Module Doors - Full Mod	1
06-EC-0505		-- Door Locks, Tied into OEM System	1
		Module power locks are tied to the Chassis power lock system	
06-EC-0512		-- OEM Key Fob: Included w/Chassis Unlock Mod Doors	1
		Must also operate the Module Power Door Locks Optioned.	
06-EC-05C9		-- Door Lock Switches : Integrated in Interior Entry door Handles	1
06-EC-05K0		-- ONLY the following doors shall have power door locks:	1
06-EC-05M6		-- Electric Door Lock: Rear Access Doors	1
06-EC-05N0		-- Electric Door Lock: Curbside Access Door	1
56-10-0050		-- Patient on board lights not required, leave existing	1
56-10-00SW		-- Hidden Unlock Switches	1
56-EC-2800		-- Door Unlock Switch, Momentary, Exterior, hidden	1
		NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry	

PART NO	S	DESCRIPTION	QTY
		into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	
06-EC-0802		-- Location: Front Grille/Bumper Area	1
ZZ-ZZ-ZZZZ		--	1
56-1E-0002		-- Install (2) Blower Exhaust Fans, Front and Rear Part #:BLOW-03	1
56-AA-0210		-- Flasher, Headlight: NONE	1
56-AL-47NO		-- Hand Held Spot Light: NONE	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
		BATTERIES :	1
56-BA-0002		-- Batteries, Mount OEM chassis provided batteries, No additional required.	1
56-EC-0890	S	 -- Auto-Battery Shut-down (Kill Circuit): 10 Minute	1
56-BA-0020		-- Additional Module Batteries NONE	1
56-BA-35NO		-- Battery Tray: NONE	1
56-BA-3FD2		-- Battery Make: OEM per chassis Batteries OEM as provided with Chassis spec.	1
56-BA-3HSW		-- Round Momentary Ignition Timer Switch: NONE	1
ZZ-ZZ-ZZZZ		--	1
56-EC-3000		 -- Camera System: Voyager	1
56-EC-310L	S	 -- Back Up Camera: Install OEM Back Up Camera	1
56-EC-3140		 -- Monitor: Voyager VOM74MM 7" ASA Mirror Monitor	1
56-EC-31H5		 -- Patient Area Camera: Bracket Mount (Ext Style)-VCMS20 ASA Built in microphone	1
06-EC-31I2		 -- Camera Mounted Toward: Rear (Faces Forward)	1
56-EC-30CN		-- Monitor Mount: None	1
ZZ-ZZ-ZZZZ	S	 -- New Front Harness Due to Chassis Change	1
56-EC-3501		-- Circuit Board: Leave Existing	1
56-RR-F3H2	S	 -- Console: Custom	1
		Cup Holders	
		3 Glove Storage	
		Map Book Slots	
		Padded cover	
		4 USB	
56-EC-4300		-- Standard Back-up Alarm: Install New	1
06-EC-43B0		-- Cut Off Switch: Auto reset ,momentary style	1
11-ZZ-0933		-- CAAS GVS V2.0 Exception C.16.1 Reset of Back-up Alarm Installation of a reset of a back-up alarm shall cause an exception to the GVS 2.0 Standard for C.16.1 for this instance when a vehicle is shifted into reverse.	1
ZZ-ZZ-ZZZZ		--	1
56-EL-SDL0		-- Docking Lights: None	1
ZZ-ZZ-ZZZZ		--	1
		INVERTERS AND GENERATORS	1
56-IG-00LE		-- INVERTER : Leave Existing Model	1
56-IG-BB00		-- Leave Existing Breaker Box and Breakers	1
56-IG-G001		-- GENERATOR: None/ Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
		COMMUNICATION RADIO(S) RELATED	1
		ALL radio components must be removed from cab area prior to shipment to REV.	
56-EC-03A0		 -- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1

PART NO	S	DESCRIPTION	QTY
06-EC-03C0		/-- Radio Power Source: Battery (Constant) Hot	1
06-EC-03J0		/-- LOCATION: Inside Cab Center Console	1
56-EC-03A2		/-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1
06-EC-03C0		/-- Radio Power Source: Battery (Constant) Hot	1
06-EC-03E0		/-- LOCATION: Behind Action Area Board	1
56-RR-0100		/-- Coaxial Cable, No 1: Type RG-58U, No connectors	1
06-RR-01O1		/-- ORIGINATION POINT: Roof Port No 1	1
		Roof Port No 1 is lined up with the edge of the curbside entry door, and centered side to side as possible	
06-RR-01P0		/-- Port Plate: None - Access thru center upholstery panel	1
06-RR-01T7		/-- TERMINATION POINT: Center Console w/ 36" Tail	1
56-RR-1809		-- Patient Area Radio : None	1
		125V SHORE LINE AND OUTLETS	1
56-SO-00A1		-- Shoreline Inlet : Keep Existing	1
ZZ-ZZ-ZZZZ		--	1
56-SO-00A3		-- Additional Shoreline: None	1
ZZ-ZZ-ZZZZ		--	1
56-SO-1100		-- **INTERIOR 12 Volt OUTLETS**	1
56-SO-1144	S	/-- 12V Outlet, DUAL USB	7
		Includes waterproof cover.	
		DUAL USB outlet	
		SOCK-USB	
26-SO-11L1	S	/-- LOCATION: See Locations in Shop Notes	7
		4 IN CONSOLE	
		1 IN AA	
		1 ON CURBSIDE AA	
		1 IN LOWER ALS	
ZZ-ZZ-ZZZZ		/--	7
56-SO-11LE		-- 12V Outlets : Leave Existing Outlets	1
ZZ-ZZ-ZZZZ		--	1
56-SO-1400		-- **125 Volt OUTLETS**	1
56-SO-14LE		-- 125 VAC Outlets : Leave Existing Outlets	1
		All 125 VAC outlets shall be back lighted when power is applied to the outlet.	
ZZ-ZZ-ZZZZ		--	1
		SIRENS AND SPEAKERS	1
56-SS-0001		-- SIREN : Remove Existing and Install in new cab console	1
56-SS-SA53		/-- Siren Speakers:CPI: SA3827/8 D/P in the bumper 2020+ F series ILOS	1
		Through the bumper and surface mount.	
56-SS-SW01		-- Siren / Horn Switch: In Cab Console	1
		This switch shall select horn ring output: Siren Functions OR O.E.M. Horn	
56-SS-13A1		-- Air Horns: NONE	1
56-SS-G000		-- Insulation for Siren Speakers: None/Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
		CABINET SHOP - Modular	1
57-00-HO00		-- Door Hold Gas Shocks: Leave Existing	1
57-00-PC00		-- Lexan Windows - Leave Existing	1
07-ZZ-ZZZZ		--	1
57-AC-0000		-- Air Conditioning Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-AT-0000		/-- Attendant Seat base Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		/--	1
57-BH-0000		-- Bulkhead Cabinet : Leave Existing	1

PART NO	S	DESCRIPTION	QTY
ZZ-ZZ-ZZZZ	S	<i>/-- Delete the refrigerator at the Bulkhead</i>	1
		DELETE THE REFRIGERATOR AT THE BULKHEAD	
		INSTALL 2 HINGED DOORS WITH A SOUTHCO NON LOCKING LATCH AND ADD 1	1
		ADJUSTABLE SHELF	
57-CA-0000		-- Curbside Upper Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-CA-4798		-- Solid Surface Trays: None	1
57-CR-0000		-- Curbside Rear Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-CS-0000		<i>/-- Curb Side Wall Panel- Replace Existing With New Panel</i>	1
ZZ-ZZ-ZZZY		<i>/--</i>	1
57-LF-0000		-- Left Front Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-RF-0000		-- Right Front (ALS) Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-SB-0000		-- Squad Bench Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-TC-0000		-- Top Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
57-WC-0000		-- Wall Cabinet : Leave Existing	1
ZZ-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZY		--	1
ZZ-ZZ-ZZZZ		--	1
		CABINET SET - Station No 4 - MOD	1
57-01-SD10	S	<i>/-- Attn seat Replaced EVS 1870 Child Safety Seat with Per4max Belt</i>	1
		FLINT GRAY	
58-00-FL3A		<i>/-- Flooring: Loncoin II Flecks- #150, Onyx (Black)</i>	1
58-00-FL01		<i>/-- Flooring Main Edge: 3" Recessed (1/2" deep) roll-up</i>	1
58-CS-0001		-- COT MOUNT HARDWARE: (Full Size Mod)	1
58-CR-09PS		<i>/-- Cot Mount: Stryker, No 6390, Power Load, Customer/Dealer Supplied - Mod</i>	1
		options	
		Install Customer/Dealer supplied Stryker #6390 Power Load system	
		complete with mechanical fasteners as required and electrical connections with testing.	
		Company supplies only the floor cut out and 12v wiring from main electrical system and installation.	
		>>> Caution, Power-load head consumes floor space toward attendant seat. Spacing review	
		between seat and cot is recommended. >>	
08-CS-19A5		<i>/-- Cot Stop, Block: Stryker Power/Performance load. Install hook with kit</i>	1
08-CS-3009		<i>/-- Cot mount set up for: Stryker Power-Pro 6506</i>	1
08-CS-CMTP		<i>/-- Add' Cot Mount for Power Load: NONE</i>	1
ZZ-ZZ-ZZZZ		<i>/--</i>	1
58-CS-19U1		-- Q Straint System: NONE	1
58-OS-04ST		-- OXYGEN / AIR / VACUUM SYSTEM :	1
58-OS-03LE		-- Oxygen Outlets : Leave Existing	1
08-ZZ-ZZZZ		--	1
58-OS-13LE		-- Cylinder Rack: Leave Existing	1
58-OS-0010		-- Neck Strap: Connected to top strap of bottle rack	1
58-OS-19LE		-- Regulator Wrench: Leave Existing	1
58-OS-STP2		-- Cylinder Rack Straps : (2), Pull Style, Replace with NEW	1
ZZ-ZZ-ZZZZ		--	1
58-OS-3500		-- Collection Canister: Bemis 1200 CC Capacity	1
		Replace with new Holder and canister SSCOR 23002	
58-OS-35NO		-- Vacuum Pump: None/Leave Existing	1
58-SE-SB0L		-- Seat Belt System - Replace Existing with New	1
08-SE-1847	XS	<i>/-- (2)Per4max above Squad Bench, (1) Per4Max above CPR Side Seat Black Belts</i>	1
		Belt retractors can mount above the seat level,	

PART NO	S	DESCRIPTION	QTY
08-SE-SB70	S	<i>/-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench</i>	1
08-SE-SB76	S	<i>/-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge</i>	1
ZZ-ZZ-ZZZY	--		1
ZZ-ZZ-ZZZZ	--		1
TRIM / DOOR ASSEMBLY - Station No 5			1
58-AS-0001		<i>/-- Stainless Rear Threshold, 6" Wide x Full Width at rear doors, Replace with new</i> Install safety yellow with diagonal stripes nonskid tape over threshold.	1
58-AS-00CS		<i>/-- Curb Side Threshold: Leave Existing</i>	1
59-AS-0700	S	<i>/-- Door Panels: Mica over Smooth Alum</i> The mica is laminated to smooth aluminum.	1
59-B1-ED00	--	Entry Door Panels, Windows and Hardware	1
58-MH-0319		<i>/-- Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Gray Antimicrobial New 5-12-16</i> Install CS door handle after cabinet installation. Close the doors and check for pinch points or cabinet interference.	1
58-MH-03E9		<i>/-- Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Gray Antimicrobial New 5-12</i>	1
59-FM-1093	--	Dri-Dek Compartment Floors, Black	1
ZZ-ZZ-ZZZZ	--		1
59-MH-253N	--	Rear Entry Assist Handle not required	1
59-MH-2702	--	Grab Rail, C/S wall, curve out over C/S Entry, NONE	1
59-NE-0000	--	Squad Net leave existing	1
ZZ-ZZ-ZZZZ	--		1
ZZ-ZZ-ZZZZ	--		1
ZZ-ZZ-ZZZZ	--		1
59-RR-70NO	--	Speakers, Stereo: NONE	1
WINDOWS			1
59-WI-0001	--	C/S Door Windows : Leave Existing Inspect & replace window gasket, as needed. Perform water test to verify windows are sealed correctly	1
ZZ-ZZ-ZZZZ	--		1
59-WI-0408		<i>/-- Upper Windows (2) Rear access Fixed, Privacy, Silver, Horton Style</i>	1
ZZ-ZZ-ZZZZ	--		1
ZZ-ZZ-ZZZY	--		1
ZZ-ZZ-ZZZZ	--		1
ELECTRICAL Point to Point - Station No 6			1
60-EC-1390	--	IV Warmer No 1: NONE	1
60-SW-A1LE		<i>/-- Switch Panel: Action Area - Leave Existing</i>	1
60-EC-REFR	--	Refrigerator: Leave Existing or None	1
ZZ-ZZ-ZZZY	--		1
ZZ-ZZ-ZZZZ	--		1
UPHOLSTERY - Station No 7			1
61-00-A001		<i>/-- Upholstry is to be Sewn</i>	1
61-00-UCHO		<i>/-- Upholstry Color: Flint Grey, Rouge II, Horton</i>	1
09-DR-WT00		<i>/-- Talk Through Window: Sliding Lexan Window - CLEAR</i>	1
ZZ-ZZ-ZZZZ	--		1
PAINT - STRIPES - DECALS			1
62-00-01NO	--	Window Tint: None	1
62-DC-0001	--	Reflective Tape: On painted edges of Exterior Door Frame	1
62-DC-0002	--	Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R Install on rearward facing edge of flip up step at rear module entry.	1
62-PT-0001	S	<i>/-- Module Paint : Paint Half Truck Red and Paint Half Truck Black</i>	1

PART NO	S	DESCRIPTION	QTY
ZZ-ZZ-ZZZZ		--	1
62-PT-2000	S	<i>/-- Lettering:Graphics</i>	1
		Install 10" Tape Belt.	
		Install Kickup.	
		.5" Gold Engine Turn	
		Large Gold Engine Turn on Inkjet Reflective Vinyl	
		Cut Reflective Vinyl	
		Diamond Grade - Entire rear - DBL Vinyl	
		Install DOT Package. 2-17" SOLs, 2-12" SOLs, 3-6" AMBULANCE, 1-4" reverse AMBULANCE with SOLs.	
		Install Standard Blue Reflective Roof Star.	
12-ZZ-ZZZZ		--	1
ZZ-ZZ-ZZZZ		--	1
		DETAIL - SHIP LOOSE ITEMS	1
63-KK-KDED		-- Decals: KKK / DOT Pkg, - NONE	1
ZZ-ZZ-ZZZZ		--	1
63-KK-NSSB		-- Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1
ZZ-ZZ-ZZZZ		--	1
63-MH-10H0		<i>/-- Reflector Package: (2 ea) Horton Rectangular Amber and Red</i>	1
ZZ-ZZ-ZZZZ		--	1
		== Remount, Base - 15.015 12/09/20 ==	1
		GENERAL CONVERSION	1
50-30-1952		REV Brand Remount	1
50-30-1960		<i>/-- REV Horton Remount Basic Conversion with Intelliplex Electrical System</i>	1
50-30-2144		<i>/-- CONVERSION ONLY: REV Horton Basic Medium Duty</i>	1
ZZ-ZZ-ZZZZ		--	1
51-CD-0060		Chassis Disposal : Chassis Held for Customer Pick Up	1
		Note : After (60) days from chassis drop-off, \$20 per day storage fee will be applied.	
ZZ-50-REM0		REV REMOUNT NOTICE	1
		The above quote is based on information and photos supplied to the REV Solutions Center. Upon receipt of the unit at the REV Solutions Center an inspection will be performed. At times items may not be identified until the unit is in the production process. If items are identified as not operational or not to the standards our customers expect, the REV Solutions Center will notify the Dealer/Customer of those items and provide a quote to correct them offering the opportunity to make the suggested changes. Unfortunately some of these items cannot be identified until we start the remount process.	